

ETRON: Programming Barcodes for DS2278

Configuration name in Utility : ETRON
Last Modified : 24-ene-19
Windows Filename : Config File_DS2278_ETRON_2019.01.24.scncfg
Plug-in Name : DS2278-STANDARD SR MODELS + CRADLE-027
Report Type : Only parameters changed from defaults shown



ETRON: Programming Barcodes for DS2278

Configuration name in Utility : ETRON
Last Modified : 24-ene-19
Windows Filename : Config File_DS2278_ETRON_2019.01.24.scncfg
Plug-in Name : DS2278-STANDARD SR MODELS + CRADLE-027
Report Type : Only parameters changed from defaults shown



Set Defaults

Cable Connection Settings

USB

USB Device Type Default (HID Keyboard Emulation)
Caps Lock Override Enable

IBM-RS485

PortAddress None

Keyboard Wedge

Keyboard Wedge Host Type IBM AT Notebook

Symbology (bar code type) Settings

Other 2D Symbologies

GS1-Datamatrix Enable
GS1-QR Code Enable

Modify Data- Advanced Data Formatting

- Erase All Rules
- Begin New Rule
- 1. Send All that remains
- 2. Send Extended Key <Enter>

ETRON: Programming Barcodes for DS2278

Configuration name in Utility : ETRON
Last Modified : 24-ene-19
Windows Filename : Config File_DS2278_ETRON_2019.01.24.scncfg
Plug-in Name : DS2278-STANDARD SR MODELS + CRADLE-027
Report Type : Only parameters changed from defaults shown



Save Rule

Begin New Rule

1. MoveTo All Patterns and Replace <<GS>> with <-\$>

<GS>

End of Message

\$

End of Message

2. Skip To Start

3. Send All that remains

4. Send Extended Key <Enter>

Save Rule

General Parameter Settings

System

keyboard country type Spanish

Timeout Between Same Symbols 0

Configuration File ETRON

Firmware:

SAADFS00-002-R03

Supported Scanner Models for Plug-in :

CR2278-PC10004WW

DS2278-SR00006ZZWW

DS2278-SR00007ZZWW

DS2278-SR00007ZZY