

ETRON: Programming Barcodes for DS9208

Configuration name in Utility : ETRON
Last Modified : 24-ene-19
Windows Filename : Config File_DS9208_ETRON_2019.01.24.scncfg
Plug-in Name : DS9208-COMMON SR MODELS-025
Report Type : Only parameters changed from defaults shown



ETRON: Programming Barcodes for DS9208

Configuration name in Utility : ETRON
Last Modified : 24-ene-19
Windows Filename : Config File_DS9208_ETRON_2019.01.24.scncfg
Plug-in Name : DS9208-COMMON SR MODELS-025
Report Type : Only parameters changed from defaults shown



Set Factory Defaults

Cable Connection Settings

USB

USB Device Type Default (HID Keyboard Emulation)
Caps Lock Override Enable

Symbology (bar code type) Settings

Other 2D Symbologies

GS1-Datamatrix Enable
GS1-QR Code Enable

Modify Data- Advanced Data Formatting

Erase All Rules
Begin New Rule
1. Send All that remains
2. Send Extended Key <Enter>
Save Rule
Begin New Rule
1. MoveTo All Patterns and Replace <<GS>> with <\$>
<GS>

ETRON: Programming Barcodes for DS9208

Configuration name in Utility : ETRON
Last Modified : 24-ene-19
Windows Filename : Config File_DS9208_ETRON_2019.01.24.scncfg
Plug-in Name : DS9208-COMMON SR MODELS-025
Report Type : Only parameters changed from defaults shown



End of Message
\$
End of Message
2. Skip To Start
3. Send All that remains
4. Send Extended Key <Enter>
Save Rule

General Parameter Settings

System

keyboard country type Spanish
Timeout Between Same Symbols 0
Configuration File ETRON

Firmware:

CAAASS00-007-R02

Supported Scanner Models for Plug-in :

DS9208-SR00004CNWW
DS9208-SR00004NNWW
DS9208-SR00004NNY
DS9208-SR0000WCNWW
DS9208-SR0000WNNWW
DS9208-SR00214NNWW
DS9208-SR4NNU21ZY
2356-9208-0000